

# WRT-P-3103MW

Wisenet WAVE Client Workstation



The WRT-P-3103MW server is a micro form factor Wisenet WAVE server designed to record up to 16 cameras. The server has a dedicated solid state drive for video storage and a separate M.2 SSD for the Windows 10 IoT Enterprise LTSC operating system to provide fast boot and load times.

This micro server offers unrivaled deployment flexibility, allowing for its small chassis to be deployed in any small business environment. An optional VESA mount allows the server to be inconspicuously mounted behind a monitor.

Each server is pre-configured with Wisenet WAVE VMS and preloaded with 4 Professional licenses to ensure quick and easy deployment with minimum setup time.

## Key Features

- Preloaded and configured with Wisenet WAVE video management system client & tools
- Includes USB mouse and keyboard
- 5-Year, On-site, Next Business Day, Keep Your Hard Drive Warranty
- Optional VESA mount



## WRT-P-3103MW

SYSTEM		
Video Management Software	Wisenet WAVE	
Recording Bandwidth	Up to 45Mbps	
Pre-loaded licenses	4 x Wisenet WAVE Professional License	
OS Drive Bay	1 x 256GB M.2 SSD OS Drive	
Data Drive Storage	1x 2TB SATA for Video Storage	
Network Interface	1 x 1GbE RJ45 Ports	
Processor	1 x Intel® Core™ i3 13th Generation	
Memory	8GB DDR4	
Operating System	Windows 10 IoT Enterprise	
Video Outputs	1x HDMI, 1x DP, 1x VGA, 1x DP to HDMI adapter included	
USB Ports	Rear: (2) USB 3.2 Gen 1, (2) USB 2.0; Front: (2) USB 3.2 Gen 1	
Other Ports	2x 3.5mm audio headset output/input	
Keyboard & Mouse	Included	
MECHANICAL / ELECTRICAL / ENVIRONMENTAL		
Mechanical	Form Factor	Micro form factor server
	Color / Material	Black / Metal & Plastic
	Dimensions (WxDxH)	1.4" x 7.0" x 7.2" (36mm x 178mm x 182mm)
Electrical	Weight	2.95 lbs (1.34 kg)
	Power Input	100 ~ 240V AC
	Power Consumption	65W
Environmental	Operating Temperature	50°F to 95°F (10°C to 35°C)
	Storage Temperature	-40°F ~ 149°F (-40°C ~ 65°C)
	Operating Humidity	20% to 80% relative humidity (non-condensing)
Certification	UL, cUL, CB, FCC,	

\* The latest product information / specification can be found at [www.hanwhaamerica.com](http://www.hanwhaamerica.com)  
 \*Bandwidth performance figures based on performance testing by Hanwha Vision using Wisenet WAVE



Optional VESA mounting